

P173789

HYDRAULIC FILTER, SPIN-ON

DURAMAX



Features and Benefits – Duramax Filters

- Duramax filters are the highest rated medium pressure spin-on filters available in the market.
- Duramax filters are proven, reliable, long-lived and easy to install.
- A variety of mix and match system of heads, housings and media choices to meet your exact requirements.
- Applications include hydrostatic charge side filtration, pilot circuits, power shift transmissions and kidney loop circuits
- Improved performance including higher burst, greater fatigue strength and longer filter life.

Attributes

Outer Diameter	119.4 mm (4.70 inch)
Thread Size	1 3/4-12 UN
Length	361.69 mm (14.24 inch)
Gasket OD	86 mm (3.39 inch)
Gasket ID	78.97 mm (3.11 inch)
Efficiency Beta 1000	25 micron
Flow Direction	Standard

Style	Spin-On
Series	HMK05/25
Brand	Duramax®
Media Type	Synthetic
Primary Application	KOMATSU 1281850H1

Packaged Dimensions

Packaged Length	132.08 mm (5.20 inch)
Packaged Width	132.08 mm (5.20 inch)
Packaged Height	381.00 mm (15.00 inch)
Packaged Weight	2.20 kg (4.85 lb)
Packaged Volume	6645963.90 mm ³ (0.23 ft ³)
Pieces Per Pallet	128
Pieces Per Box	1

Other Information

Country of Origin	United States
NMFC Code	069100-07
HTS Code	8421299013
UPC Code	742330139639

The information contained herein is general in nature and may not reflect actual information regarding the part at time of shipment. Parts may originate in more than one country – the actual country of origin and HS Code will be reflected on the Commercial Invoice(s) that

accompanies the goods.